

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
20 January 2005 (20.01.2005)

PCT

(10) International Publication Number  
**WO 2005/004848 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 9/14**

(21) International Application Number:  
PCT/KR2004/001684

(22) International Filing Date: 9 July 2004 (09.07.2004)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:  
10-2003-0046550 9 July 2003 (09.07.2003) KR

(71) Applicant (for all designated States except US): **CHONG KUN DANG PHARMACEUTICAL CORP.** [KR/KR]; #368, Chungjeongro 3ga, Seodaemun-gu, Seoul 120-756 (KR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SHIN, Hee-Jong**


[KR/KR]; 1404-101, Yeonhwamaeul., #14-1, Jung2-dong, Wonmi-gu, Bucheon-si, Gyeonggi-do 420-022 (KR). **LIM, Jong-Lae** [KR/KR]; 102-738 Dongbo Apt., #253-38, Mosi-ri, Jiksan-myeon, Cheonan-si, Chungcheongnam-do 330-814 (KR). **KL, Min-Hyo** [KR/KR]; 102-105, Sindonga Apt, Sinbang-dong, Cheonan-si, Chungcheongnam-do 330-766 (KR). **YUN, Ji-Hun** [KR/KR]; 102-1404, Wol-bong-Daewoo Apt., #1548, Ssangyong-dong, Cheonan-si, Chungcheongnam-do 330-090 (KR).

(74) Agent: **ROH, Jae-Chull**; 6F, Seil Building, #727-13, Yeoksam-dong, Gangnam-gu, Seoul 135-080 (KR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH,

[Continued on next page]

(54) Title: THE SOLID DISPERSION OF TACROLIMUS



(57) Abstract: The present invention relates to the carrier of the solid dispersion of tacrolimus, which is prepared by using the solid surfactant having a property of HLB value higher than or equal to about 7. The surfactants carry out a function of a carrier and a function of a dissolution enhancer, simultaneously. As a result, the dissolution rate of tacrolimus is improved, and the oral absorbability and the bioavailability may be increased due to rapid drug release.

○; Example 26(capsule)

▼; Comparative example 1(capsule)

▽; Comparative example 2(capsule)

●; Comparative example 3(prograf)



PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN,  
TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

**(84) Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,

**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*